

Fast acting, immune building

Kwik Start

**REAL
Bovine
Colostrum**

Fed to new born animals, Kwik Start may considerably improve their health and development. Containing high levels of immunoglobulins and antibacterials, boosting growth and intestinal protection.

Feeding Guide

Kwik Start should be fed as soon as possible after birth, and preferably before milk is fed. Kwik Start can be absorbed for up to 48 hours after birth, depending on the species.

Weigh the animal and select the appropriate weight range from the Animal Feed Chart.

Mix the correct amount of Kwik Start powder with warm pre-boiled water to make the daily Kwik Start requirement. Refrigerate prepared Kwik Start for one day only or store frozen in ice cube trays for up to 1 month.

Do not mix or feed Kwik Start powder with milk.

Kwik Start – Animal Feed Chart

Animal Body Weight (kg)	Kwik Start Powder (g)	+	Warm Water (ml)	=	Total Mixed Qty (ml)
1-2	15		48		60
2-3	20		64		80
3-4	25		80		100
4-5	30		96		120
5-10	60		190		240
10-20	100		320		400
20-30	130		420		520
30-40	160		510		640
40-50	200		650		800



Newborns that have not received maternal colostrum or milk.

First 12 hours: Do not feed milk during this time. Prepare a daily dose of Kwik Start as shown in the Animal Feed Chart and feed 1/4 of the amount every 2 hours.

Calves & Foals – 200g in 650ml warm water (daily dose)

Lambs & Kids – 25g in 80ml warm water (Feed 4 times in the first 24 hours).