

according to WHS Regulations

Date of issue: 06.12.2024

1 Identification

Revision date: 02.12.2024

Product Name: SUNSET POWDER LO-FOAM

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Dairy detergent

Details of Manufacturer or Importer: DASCO Pty Ltd 24 - 26 Helen Street Heidelberg Heights VIC 3081

Phone Number: 03 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



GHS05 Corrosion

Skin corrosion/irritation – Category 1B

Eye damage/irritation – Category 1



Specific target organ toxicity (single exposure) – Category 3

Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

Precautionary Statements

P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection / face protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H318 Causes serious eye damage.

according to WHS Regulations

Date of issue: 06.12.2024

Product Name: SUNSET POWDER LO-FOAM

Revision date: 02.12.2024

(Contd. of page 1) P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 497-19-8	Sodium carbonate	>60%
	Eye damage/irritation – Category 1, H318; () Specific target organ toxicity (single exposure) – Category 3, H335	
CAS: 10213-79-3	Sodium metasilicate pentahydrate	10-30%
	 Corrosive to metals – Category 1, H290; Skin corrosion/irritation – Category 1B, H314; Specific target organ toxicity (single exposure) – Category 3, H335 	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes severe skin burns.

Eye Contact: Causes serious eye damage.

Ingestion: Causes burns to the mouth, nose, throat and oesophagus. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of silicon, and oxides of sodium. Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses. HAZCHEM Code: 2X

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

(Contd. of page 2)

Safety Data Sheet

according to WHS Regulations

Date of issue: 06.12.2024

Revision date: 02.12.2024

Product Name: SUNSET POWDER LO-FOAM

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Decontaminate spill area with detergent and water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight and moisture. Keep away from acids, oxidising agents, and active metals such as aluminium, tin, and zinc.

8 Exposure Controls and Personal Protection

Exposure Standards:

Nuisance dust: TWA - 10 mg/m3 (inspirable dust)

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear approved particulate respirator (filter type P). At high dust levels, wear a powered air purifying respirator (PAPR) with P3 filter or an air-line respirator or a full-face P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Plastic or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance: Form: Colour: Odour: Odour Threshold: pH-Value: Melting point/freezing point: Initial Boiling Point/Boiling Range: Flash Point:

Granular powder White Slight detergent-like No information available Not applicable No information available No information available Not applicable

(Contd. on page 4)

according to WHS Regulations

Date of issue: 06.12.2024

Product Name: SUNSET POWDER LO-FOAM

Revision date: 02.12.2024

(Contd. of page 3)

Flammability	No information available
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	Not applicable
Relative Density:	No information available
Vapour Density:	Not applicable
Evaporation Rate:	Not applicable
Solubility in Water:	Soluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight and moisture.

Incompatible Materials: Acids, oxidising agents, and active metals such as aluminium, tin, and zinc.

Hazardous Decomposition Products: Oxides of carbon, oxides of silicon, and oxides of sodium.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:				
CAS: 497-19-8 Sodium carbonate				
Oral	LD50	4,090 mg/kg (Rattus norvegicus (rat))		
	LD50	>2,000 mg/kg (Oryctolagus cuniculus (rabbit))		
CAS: 10213-79-3 Sodium metasilicate pentahydrate				
Oral	LD50	847 mg/kg (Rattus norvegicus (rat))		
	LD50	>5,000 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50	>2,060 mg/m³ (Rattus norvegicus (rat))		

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes severe skin burns.

Eye: Causes serious eye damage.

Ingestion:

Causes burns to the mouth, nose, throat and oesophagus. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

according to WHS Regulations

Date of issue: 06.12.2024

Revision date: 02.12.2024

Product Name: SUNSET POWDER LO-FOAM

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure: Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 497-19-8 Sodium carbonate EC50/48 h 200 mg/l (Daphnia magna (water flea))

LC50/96 h 300 mg/l (Lepomis macrochirus (bluegill))

EC50/120hr 242 mg/l (Algae)

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN3262
Proper Shipping Name ADG, IMDG, IATA	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)
Dangerous Goods Class ADG Class:	8
Packing Group: ADG, IMDG, IATA	11
EMS Number:	F-A,S-B
Hazchem Code:	2X
Special Provisions:	274
Excepted quantities (EQ):	E2
Limited Quantities:	1 kg
Packagings & IBCs - Packing Instruction:	P002, IBC08

according to WHS Regulations

TP33

Date of issue: 06.12.2024

Product Name: SUNSET POWDER LO-FOAM

Packagings & IBCs - Special Packing Provisions: B2, B4

Portable Tanks & Bulk Containers - Instructions: T3

Portable Tanks & Bulk Containers - Special Provisions:

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 02.12.2024

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Corrosive to metals - Category 1: Corrosive to metals - Category 1

Skin corrosion/irritation – Category 1B: Skin corrosion/irritation – Category 1B

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1

Specific target organ toxicity (single exposure) - Category 3: Specific target organ toxicity (single exposure) - Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Revision date: 02.12.2024

(Contd. of page 5)

www.msds.com.au