

according to WHS Regulations

Date of issue: 06.12.2024

Revision date: 02.12.2024

Page 1 of 5

1 Identification

Product Name: TANK KLENZ

Other Means of Identification: Mixture

Other Name: Aqueous solution of surfactants

Recommended Use of the Chemical and Restriction on Use: As a cleaner for bulk milk tanks

Details of Manufacturer or Importer:

DASCO Pty Ltd 24 - 26 Helen Street Heidelberg Heights VIC 3081

Phone Number: (03) 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Eye damage/irritation – Category 1 H318 Causes serious eye damage.



Skin corrosion/irritation - Category 2 H315 Causes skin irritation.

Signal Word Danger

Hazard Statements

H315 Causes skin irritation. H318 Causes serious eye damage.

Precautionary Statements

	i recautionary ota	xlements
	P264	Wash thoroughly after handling.
	P280	Wear protective gloves / eye protection / face protection.
	P302+P352	IF ON SKIN: Wash with plenty of water.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P332+P313	If skin irritation occurs: Get medical advice/attention.
_	A	

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 84133-50-6	Alcohols, C12-C14-secondary, ethoxylated	<10%
	Eye damage/irritation – Category 1, H318; Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315	

according to WHS Regulations

Date of issue: 06.12.2024

Product Name: TANK KLENZ

		(Contd. of page 1)
CAS: 7601-54-9	Trisodium phosphate	<5%
	Skin corrosion/irritation – Category 1B, H314	
Non Hazardous Components:		
CAS: 7758-29-4	Triphosphoric acid, pentasodium salt	<5%
4 First Aid Measures		

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. Skin Contact: Causes skin irritation. Eye Contact: Causes serious eye damage. Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, oxides of phosphorous, and hydrogen chloride.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

according to WHS Regulations

Date of issue: 06.12.2024

Product Name: TANK KLENZ

Revision date: 02.12.2024

(Contd. of page 2)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Keep away from oxidising agents and acids.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

Skin Protection:

Nitrile, neoprene, or natural rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Liquid
Colour:	Clear, almost colourless
Odour:	Slight detergent
Odour Threshold:	No information available
pH-Value at 20 °C:	>7
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability	Not applicable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Density:	~1 g/cm³
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

according to WHS Regulations

Date of issue: 06.12.2024

Revision date: 02.12.2024

Product Name: TANK KLENZ

(Contd. of page 3)

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Oxidising agents and acids.

Hazardous Decomposition Products:

Oxides of carbon, oxides of nitrogen, oxides of phosphorous, and hydrogen chloride.

11 Toxicological Information

Toxicity:

i existiyi		
LD50/LC50 Values:		
CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated		
Oral	LD50	>412 mg/kg (Rattus norvegicus (rat))
Inhalation	LC50/4 h	1.06 mg/l (Rattus norvegicus (rat))

Acute Health Effects

Inhalation: May cause respiratory irritation. Skin: Causes skin irritation. Eye: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met. This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated

EC50/48 h 7.3 mg/l (Daphnia magna (water flea))

LC50/96 h 3.2-3.6 mg/l (Pimephales promelas (fathead minnow))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

according to WHS Regulations

Date of issue: 06.12.2024

Revision date: 02.12.2024

Product Name: TANK KLENZ

(Contd. of page 4)

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated

Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 02.12.2024

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute toxicity - oral - Category 4: Acute toxicity - Category 4

Skin corrosion/irritation - Category 1B: Skin corrosion/irritation - Category 1B

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation - Category 1: Serious eye damage/eye irritation - Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

www.msds.com.au